


THIS IS AN ARCHIVED FIGURE AND IS NO LONGER MAINTAINED AS PART OF THE SUDAS STANDARD SPECIFICATIONS. THIS FIGURE MAY CONFLICT WITH THE CURRENT SPECIFICATIONS, AND SECTION AND FIGURE REFERENCES MAY NO LONGER BE VALID.



ZONE OF CONFLICT DEFINED-AREA FROM THE BOTTOM OF THE SPECIFIED BEDDING TO THE TOP OF PIPE.

**WATER SERVICE STATUS**

**CONTRACTOR'S RESPONSIBILITY**

**COMPENSATION**

WATER SERVICE STATUS	CONTRACTOR'S RESPONSIBILITY	COMPENSATION
1. SERVICE LOCATED OUTSIDE ZONE OF CONFLICT	PROVIDE PROTECTION. IF DAMAGED, REPAIR IN COMPLIANCE WITH THE PLUMBING CODE.	INCIDENTAL TO OTHER WORK
2. SERVICE LOCATED IN ZONE OF CONFLICT, COMPLIES WITH THE PLUMBING CODE, AND IS NOT SPECIFIED TO BE LOWERED.	RELOCATE BELOW SEWER AS DETAILED ABOVE.	BID ITEM-"RELOCATION OF WATER SERVICE"
* 3. SERVICE LOCATED IN ZONE OF CONFLICT, BUT PLUMBING CODE ENFORCEMENT WILL NOT ALLOW SIMPLE RELOCATION THEREOF.	CONSTRUCT NEW WATER SERVICE, PROVIDE MINIMUM CLEARANCE OF SEWER AS DETAILED ABOVE.	BID ITEM-"NEW WATER SERVICE"
4. SPECIAL CONDITION - SERVICE IS WITHIN 12" OF TOP OF SEWER & ALSO HAS LESS THAN 60" OF EARTH COVER TO FINISH GRADE.	RELOCATE OR RECONSTRUCT AS SPECIFIED IN 2 AND 3 ABOVE WHICHEVER CASE APPLIES.	AS IN 2 OR 3 ABOVE WHICHEVER APPLIES.
5. SERVICE IS IN CONFLICT WITH PROPOSED INTAKE, WALLS OR OTHER STRUCTURES.	RELOCATE AROUND STRUCTURE TO MIN. CLEARANCE.	AS IN 2 OR 3 ABOVE WHICHEVER APPLIES.
6. SERVICE REQUIRED TO BE LOWERED AS WELL AS RELOCATED.	LOWER SERVICE-PROVIDE MINIMUM CLEARANCE TO SEWER PIPE AS ABOVE.	BID ITEM-"LOWER WATER SERVICE" OR "LOWER WATER SERVICE WITH NEW COPPER" WHICHEVER APPLIES.
7. EXISTING TAP DOES NOT COMPLY WITH PLUMBING CODE IN CASE 3 ABOVE.	PROVIDE NEW TAP IF REQUIRED.	CHANGE ORDER IF NOT BID ITEM.
* CONDITIONS - EXISTING LINE IS LEAD LINE, LESS THAN 3/4" DIA. OR GALVANIZED LINE.		